


# McHale

*Bale  
Handling  
Range*



*The Professional Choice*



# 691 Round Bale Handler

Simplicity, versatility and strength are the main features of the McHale 691 Bale Handler. When transporting wrapped bales, two adjustable rollers powered by a double-acting ram close to cradle the bale, carrying it securely and safely.

With its rugged high-quality construction and large lifting capacity, the McHale 691 Bale Handler is the logical choice for you.

### Rotating Rollers

The rotating rollers allow for careful handling and stacking of wrapped bales. The rollers are mounted on tines, which give additional support when dealing with even the heaviest of bales.

### Removable Rollers

An operator can easily remove the rotating rollers to expose two tines, which can be used to spike and carry one or two unwrapped bales.

### Safe Transportation

On the 691, the double acting hydraulic ram ensures the rollers will carry the bale securely and safely.



Rotating Rollers



Removable Rollers



Safe Transportation

691 - Technical Information		
Weight	160kg	352lbs
Height	0.65m	2'2"
Length (overall)	1.42m	4'7"
Length of Arms	1.19m	4'0"
Max width (fully open)	1.63m	5'4"
Open Distance between the Arms	1.37m	4'5"
Closed Distance between the Arms	0.73m	2'4"
Lifting Capacity	1100kg	2425lbs
Hydraulic Requirements	One Double Acting Service	



# R5 Round Bale Handler

The McHale R5 is ideal for transporting bales, which have been tipped on their ends in the field. It can also be used to collect bales after wrapping and rotate them through 90 degrees and stack them on their ends, so that they hold their shape better.

### Close Proximity to Loader Carriage

The R5 Handler is designed to keep the bale as close as possible to the loader carriage. This gives better control, stability and balance when dealing with even the heaviest of bales.

### Bale Hand Design

The bale hands are designed so that they cradle the bale without damaging the plastic. The hands are slim in design, allowing them to slip between two closely stacked bales.

### Lockable Arms & Consistent Grip

Either of the bale hands can be locked in position allowing the unlocked arm to do all the movement. This gives the operator more control in confined spaces.

A heavy duty ram complete with check valve ensures a consistent grip as the bale is being transported.



Close Proximity to Loader Carriage



Bale Hand Design



Lockable Arms & Consistent Grip

R5 - Technical Information		
Weight	160kg	352lbs
Height	0.59m	2'0"
Length (overall)	1.42m	4'7"
Open Distance between Centres of the Arms	1.65m	5'5"
Close Distance between Centres of the Arms	0.67m (open)	2'3" (open)
Lifting Capacity	1100 kg	2425lbs
Minimum Hydraulic Pressure	150 bar	2250lbs/sq. in
Hydraulic Requirements	One Double Acting Service	



# 601 Square Bale Handler

The McHale 601 BH makes short work of moving and stacking big square bales. Its robust design and secure grip ensures safe, reliable transportation.

## Rear Grip Design

The handler features a hydraulically operated back arm that gently and securely grips the bale from the back. This makes the handler ideal for loading bales on a trailer or at the stacking site.

## Rotating Roller

The front of the handler is fitted with a rotating roller. This allows the handler to glide along the face of wrapped bales or slip between two closely stacked bales, without damaging the plastic.

## Adjustment for different bale sizes

The handler can be easily adjusted to cater for different bale sizes.



Rear Grip Design



Rotating Roller



Close Stacking

601 - Technical Information		
Weight	240kg	529lb
Height	1.02m	3'4"
Length (maximum)	1.81m	6'0"
Length (minimum)	1.36m	4'5"
Handler at Widest Grip (Distance between the Arms)	1.43m (open) 1.07m (closed)	4'8" (open) 3'6" (closed)
Handler at Narrowest Grip (Distance between the Arms)	0.98m (open) 0.62m (closed)	3'3" (open) 2'1" (closed)
Lifting Capacity	1100kg	2425lbs
Hydraulic Requirements	One Double Acting Service	



# 994 Bale Splitter

Combining simplicity and strength, the McHale Bale Splitter cuts bales of silage, hay or straw, quickly, neatly and efficiently.

Powered by one double-acting hydraulic cylinder, the uniquely designed knife cuts cleanly through the centre of the bale. The bale splitter can be used to transport, cut and move the split bale in the feeding area.

## Bale Transportation

When the knife is in the upper position, the bale splitter can be used to spike the bale and transport it from the stacking area to the feeding area.

## Bale Splitting

Once the bale is transported to the feeding area, the bale can be split cleanly by the specially designed knife. If the bale is being fed by hand, multiple cuts can be made to make feeding easier.

## Bale Transportation after Splitting

Once the bale is split, the handler can be used to move different sections of the bale around the feeding area. Animals are protected from coming in contact with the knife by the yellow knife guard.



Bale Transportation



Bale Splitting



Cut Bale

## 994 - Technical Information

Weight	230kg	507lbs
Capacity	Up to 1.5m bales	Up to 5' bales
Width	1.25m	4'2"
Height Closed	1.00m	3'3"
Height Open	2.20m	7'3"
Length (overall)	2.05m	6'8"
Lifting Capacity	1100Kg	2425lbs
Hydraulic Requirements	One Double Acting Service	




## Bale Handling Range

McHale has evolved from a farm machinery retail outlet, which is still in existence today. This background has provided an excellent foundation for the design and manufacture of farm machinery, due to direct contact with the end user.

Manufacturing takes place in a purpose built facility, which utilises the latest in laser and robotics manufacturing technology and operates to ISO 9001/2000 accreditation.

All research and development is conducted in-house using leading edge technologies. Machines go through rigorous testing during the product development process and machine performance is constantly monitored.

As a result, this ensures that product of the highest quality, specification and design are delivered to you, which explains why a McHale product is truly "an investment in the future".



991L



991B



HS2000



998



F5 Balers



Fusion

[www.mchale.net](http://www.mchale.net)

# McHale

Castlebar Road, Ballinrobe,  
Co. Mayo, Ireland.

Tel: 353 94 95 20300

Fax: 353 94 95 20356

Email: [sales@mchale.net](mailto:sales@mchale.net)

Web; [www.mchale.net](http://www.mchale.net)



SUPPLIED BY: